

Pitch Side LED Advertising

Key Features

- Boost your ad creativity
- Durable & excellent display effects
- Flexible & convenient management
- Best LED solution for pitch side



Standard Cabinet(iron)
960*960mm



Standard Cabinet(aluminum)
960*960mm



Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750

Specification

Custom Your Pitch Side LED Advertising!



Recommended Models			
Model	P5	P6.67	P8
Module size(mm)	320x160	320x160	320x160
Module resolution (dot)	64x32	48x24	40x20
Scanning	1/8S	1/6S	1/5S
SMD	1G1R1B		
Maintenance	Back		
Installation	Back Support		
Cabinet size(mm)	960x960	960x960	960x960
Density(dot/m ²)	40000	22500	15625
Brightness(cd/m ²)	5000-6000	4500-5500	4000-5000
Max. Power Consumption(W)	1000		
Average Power Consumption(W)	500		
Cabinet weight (kg)	Outdoor: 50kg		
Cabinet material	Iron/Die-cast aluminum		
IP rate	IP65		
Grayscale	10000:1		
Refresh rate(hz)	1920-3840		
Frame change frequency	50/60hz		
Horizontal viewing angle	> 140°		
Vertical viewing angle	> 140°		
Best viewing distance	> 5m	> 6.6m	> 8m
Input Voltage	AC110V - AC220V		
Module Max. current	5.5-7.5	5.5-7.5	5.5-7.0
Temperature-operating	- 10°C ~ 60°C		
Humidity-operating	10% ~ 90%		
Life span (H)	≥100,000		

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750

Pitch Side LED Advertising

Product Cases



Influence eventgoers effectively



Reach out to a widespread audience base



Enhance your brand image

Get more information & quotes

Web: www.szjy-led.com

Email: sale20@sz-ledscreen.com

Mobile: +86 18194008750